



IMPRESSIONS DENTAL

5970 S. COOPER RD. STE #1 CHANDLER, AZ
(480) 814-8888

“But do I *really* need a dental x-ray?”

If you think you can't afford x-rays this time around, just think about whether you can afford to skip them. . .

- In the United States, 29,600 people will be diagnosed with oral cancer in 1994 and 7,925 will die from it.
- In Arizona, 350 people will be diagnosed with oral cancer in 1994 and 100 will die from it.
- Besides tobacco consumption, drinking more than 3 oz. of alcohol a day (2 beers per week) puts you at an increased risk for oral cancer.
- About 1 of 2 people diagnosed with oral cancer will survive 5 years.
- In the early states, oral cancer is usually not painful. This is the ideal time for your dentist to identify it in the mouth or by x-ray. Without regular dental x-rays, it's no surprise that by the time it's detected, the cancer has grown, perhaps spread, and survival rates drop.
- The American Cancer Society recommends getting a dental examination every 6 months. Also, according to the American Cancer Society: “Most medical and dental x-rays are adjusted to deliver the lowest dose possible without sacrificing image quality.”

Dental X-Rays are the only way your dentist can see if tumors are growing in your jaws and beneath the surface of your gums

Sources:

1. Cancer Facts & Figures—1994. American Cancer Society, Atlanta, GA
2. Facts on Oral Cancer. American Cancer Society, Atlanta, GA
3. Oral Cancer: What is Your Risk? American Cancer Society, Atlanta, GA Mashberg A. Samit AM. Early Detection, Diagnosis, and Management of Oral and Oropharyngeal Cancer. CA Cancer Journal for Clinicians.